



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)

NABL / M-0717

12.02.2022

Dushyant Singh Gaur
HIMALAYAN CENTRAL DIAGNOSTIC AND RESEARCH LABORATORY
HIMALAYAN INSTITUTE OF MEDICAL
SCIENCES, JOLLY GRANT
DEHRADUN, UTTARAKHAND-248016
Mobile: 9837020745
E-mail: dsgaur@srhu.edu.in

Subject: **Renewal of accreditation in accordance with ISO 15189:2012.**

Dear Sir,

I would like to inform that NABL has examined the reassessment report of your laboratory and pleased to renew accreditation in accordance with ISO 15189:2012 in the field of medical testing for the disciplines of Clinical Biochemistry, Clinical Pathology, Cytopathology, Haematology, Histopathology, Microbiology & Infectious disease serology and Molecular Testing as per the scope recommended by the assessment team. However, following is advised which the laboratory has to address in 10 days:

Submit an undertaking to give commitment to ensure compliance to NABL 133 and NABL 131 at all times in future, duly signed by top management.

Specify actual test methodology (and also clarify whether performed by manual or automated method) for tests at S. No. 18 to 32, 37, 39, 40, 41, 42, 47, 50, 51, 53, 54, 57 in Form 72.

Specify test material for All Clinical Specimens and Body fluids tested for test at S. No. 103, 108 respectively in Form 72.

Provide range of testing (in terms of titres) for test at S. No. 136 in Form 72.

Submit % CV for tests at S. No. 166 & 167 in Form 72.

Specify the stain used for test at S. No. 181 in Form 72.

Clarify whether RDW is reported as SD or as % CV. (Refer Form 72).

The following is also advised which the laboratory has to address and same will be verified in the next assessment:

Improvement of % CV for test at S. No. 127 in Form 72.

Reporting of AFB sputum smear as per RNTCP guidelines. (Refer Form 72).

All the personnel proposed (except as mentioned below) # by the laboratory to review the results and authorize the release of reports are accepted.

#Dr Dushyant S. Gaur and Dr Barnali Kakati are not accepted to review the results and authorize the release of reports of Clinical Biochemistry as laboratory has added their names in the application for same inadvertently. (Refer NC No. 12).

With respect to the persons to review the results and authorize the release of reports, it is the responsibility of laboratory to abide by the National/ Regional/ State/ Local regulatory requirements/ Acts/ Rules/ Legal orders/ Court Decisions/ Orders issued by Government/ Statutory Bodies as applicable and effective from time to time.

✓ The accreditation certificate no. MC- 2370 with issue date 15.12.2021; and valid till 14.12.2023 is under preparation & will be issued to you shortly.

NABL-133 which is available on our website www.nabl-india.org should be followed for using NABL Symbol. Laboratory is also advised to strictly adhere to the requirements of NABL 133 in future.

The accreditation is renewed for two years subject to your satisfactory compliance to annual surveillance and the terms and conditions for maintaining



NABL accreditation (refer NABL 131).

NABL is now allowing its accredited CABs (testing, calibration and medical laboratories) to use NABL Accredited CAB Combined ILAC MRA mark on their test calibration reports through a valid Agreement. For more details, please refer NABL document NABL133 available on NABL website www.nabl-india.org under publication section.

Yours Sincerely,
Kilari Udayabhaskar
udayabhaskar@nabl.qcin.org

NABL House, Plot 45, Sector 44, Gurugram 122 003, Haryana, India
Tel. No.: +91-124-4679700 (30 lines) * Fax: +91-124-4679799 * Website: www.nabl-india.org





National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

**HIMALAYAN CENTRAL DIAGNOSTIC AND RESEARCH
LABORATORY**

has been assessed and accredited in accordance with the standard

ISO 15189:2012

**"Medical laboratories - Requirements for quality and
competence"**

for its facilities at

HIMALAYAN INSTITUTE OF MEDICAL SCIENCES, JOLLY GRANT, DEHRADUN, UTTARAKHAND, INDIA

in the field of

Medical Testing

Certificate Number: MC-2370

Issue Date: 15/12/2018

Valid Until:

14/12/2020*

*The validity is extended for one year up to 14.12.2021

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Identity : HIMALAYAN INSTITUTE HOSPITAL TRUST

Signed for and on behalf of NABL



N. Venkateswaran
N. Venkateswaran
Chief Executive Officer